

UTAH OIL AND GAS CONSERVATION COMMISSION

REMARKS WELL LOG ELECTRIC LOGS FILE **X** WATER SANDS LOCATION INSPECTED SUB REPORT abd

INFORMATION OBTAINED THROUGH TELECOMMUNICATIONS WITH BLM & EXXON

NO ELECTRIC LOGS WERE RUN

DATE FILED

LAND: FEE & PATENTED **X** STATE LEASE NO

PUBLIC LEASE NO

INDIAN

DRILLING APPROVED

SPUDED IN: **9-16-49**

COMPLETED: **10-01-49** PUT TO PRODUCING:

INITIAL PRODUCTION

GRAVITY A.P.I

GOR.

PRODUCING ZONES

TOTAL DEPTH: **1,730'**

WELL ELEVATION

DATE ABANDONED: **9-29-49**

FIELD:

UNIT:

COUNTY: **SANPETE**

WELL NO: **#1 BROTHERSON**

LOCATION FT. FROM (N) (S) LINE.

FT. FROM (E) (W) LINE.

43-039-20365

SWSE

1.4 - 1.4 SEC.

13

TWP RGE SEC. OPERATOR

TWP RGE SEC. OPERATOR

15S

3E

13

MT STATES EXPLORATION CO

15

QUATERNARY	Star Point	Chinle	Molas
Alluvium	Wahweap	Shinarump	Manning Canyon
Lake beds	Masuk	Moenkopi	Mississippi
Pleistocene	Colorado	Sinbad	Humburg
Lake beds	Sego	PERMIAN	Brazer
TERTIARY	Buck Tongue	Kaibab	Pilot Shale
Pliocene	Castlegate	Coconino	Madison
Salt Lake	Mancos	Cutler	Leadville
Oligocene	Upper	Hoskinnini	Redwall
Norwood	Middle	DeChelly	DEVONIAN
Eocene	Lower	White Rim	Upper
Duchesne River	Emery	Organ Rock	Middle
Uinta	Blue Gate	Cedar Mesa	Lower
Bridger	Ferron	Halgaito Tongue	Ouray
Green River SURFACE - 1,320'	Frontier	Phosphoria	Elbert
	Dakota	Park City	McCracken
	Burro Canyon	Rico (Goodridge)	Aneth
	Cedar Mountain	Supai	Simonson Dolomite
	Buckhorn	Wolfcamp	Sevy Dolomite
	JURASSIC	CARBONIFEROUS	North Point
Wasatch	Morrison	Pennsylvanian	SILURIAN
Stone Cabin	Salt Wash	Oquirrh	Laketown Dolomite
Colton 1,320 - 1,640'	San Rafael Gr.	Weber	ORDOVICIAN
Flagstaff 1,640 - 1,730'	Summerville	Morgan	Eureka Quartzite
North Horn	Bluff Sandstone	Hermosa	Pogonip Limestone
Almy	Curtis		CAMBRIAN
Paleocene	Entrada	Pardox	Lynch
Current Creek	Moab Tongue	Ismay	Bowman
North Horn	Carmel	Desert Creek	Tapeats
CRETACEOUS	Glen Canyon Gr.	Akah	Ophir
Montana	Navajo	Barker Creek	Tintic
Mesaverde	Kayenta		PRE-CAMBRIAN
Price River	Wingate	Cane Creek	
Blackhawk	TRIASSIC		

103-000190

Corr elev, TD, comp-
top. Replace card
FOMCO Map
R Base Map US-10A
REPRODUCTION PROHIBITED

UTAH
SANDPETE CO.
WILDCAT (WT)

022: Hansen CG

DL: 4045 103

Log Type:	2054
Minerva:	0000
Only ad	71.00
Premier	7000
Ref Premier	

(Continued From Page 1)

PL Data Map US-50A

SECRET

[illegible]

9-18-49 - Spud

Mountain States Expl
Co / Carter Oil Co.

Set 7" to 100'

No Show / No Tests

#1 Buchanan

C/SW/SE No footage

Compl - 10-1-49

TD 1730'

~~SWEP 1713870-2121~~
~~MR. GALATAS~~

HUMBLE TO EXXON 1-1-73
(915) 683-0101

Exploration
(915) 683-0300

Prod (915) 688-6100

LAND DEPT. JACKIE DOZIER
(915) 683-0475

SCOUTING OFFICE - LEE SHELTON

LEE WILL CALL BACK
4-12-88 12100



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Norman H. Bangerter, Governor
Dee C. Hansen, Executive Director
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

April 20, 1988

TO: File

FROM: Vicky Carney, Well Records

RE: #1 BROTHERSON SWSE SEC 13 T15S R03E API # 43 039 20365

Mr. Tom Brotherson called and requested any and all information we had regarding a well on his property at 15S 03E SEC 13. He especially wanted any log information available as he is interested in drilling a water well on his land.

We had no record of this well. However, it is on the map from Mapco and we were able to identify it by the following information from the BLM:

Spud 9-16-49 by Mountain States Exploration Company/Carter Oil Company. Set 7" to 100'. No show/No tests.
#1 Brotherson. C/SW/SE no footages. Completed 10-1-49.
Total Depth 1,730'. BLM sent us the enclosed copy of a scout card.

Through contact with Jim Balkan of Exxon Corporation, we were able to obtain the following information:

Spud: September 16, 1949
Plugged: September 29, 1949
No Electric Logs run
Formation tops:
 Green River: Surface - 1,320'
 Colton: 1,320 - 1,640'
 Flagstaff: 1,640 - 1,730'
Total Depth: 1,751'
Core: 1,643 - 1,648' (Flagstaff)
 6 inches gray-green shale
 4 inches chert limestone
 3 feet calcareous shale
No shows
No drill stem tests
Record of cement

A card and a file will be made up from the information we have been able to find.



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Norman H. Bangerter, Governor
Dee C. Hansen, Executive Director
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

April 20, 1988

TO: File

FROM: Vicky Carney, Well Records

RE: #1 BROTHERSON SWSE SEC 13 T15S R03E API # 43 039 20365

Mr. Tom Brotherson called and requested any and all information we had regarding a well on his property at 15S 03E SEC 13. He especially wanted any log information available as he is interested in drilling a water well on his land.

We had no record of this well. However, it is on the map from Mapco and we were able to identify it by the following information from the BLM:

Spud 9-16-49 by Mountain States Exploration Company/Carter Oil Company. Set 7" to 100'. No show/No tests.
#1 Brotherson. C/SW/SE no footages. Completed 10-1-49.
Total Depth 1,730'. BLM sent us the enclosed copy of a scout card.

Through contact with Jim Balkan of Exxon Corporation, we were able to obtain the following information:

Spud: September 16, 1949
Plugged: September 29, 1949
No Electric Logs run
Formation tops:
 Green River: Surface - 1,320'
 Colton: 1,320 - 1,640'
 Flagstaff: 1,640 - 1,730'
Total Depth: 1,751'
Core: 1,643 - 1,648' (Flagstaff)
 6 inches gray-green shale
 4 inches chert limestone
 3 feet calcareous shale
No shows
No drill stem tests
Record of cement

A card and a file will be made up from the information we have been able to find.



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Norman H. Bangerter, Governor
Dee C. Hansen, Executive Director
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

April 20, 1988

MEMO TO WELL FILE:

API #43-039-20365 was issued to the following well:

Mountain States Exploration
Brotherson #1
SW SE Sec ~~1315~~, T. 15S, R. 3E
Sanpete County, Utah

This well was drilled September 16, 1949. No record was submitted to the Division of Oil, Gas & Mining.

as/VLC



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Norman H. Bangerter, Governor
Dee C. Hansen, Executive Director
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

April 21, 1988

Mr. Tom Brotherson
40 West 3rd North #28
Mt. Pleasant, Utah 84647 462-2189

Dear Mr. Brotherson:

Re: #1 BROTHERSON SWSE SEC 13 T15S R03E API # 43 039 20365

Through contact with Exxon Corporation, we have located the following information regarding the above referenced well:

Spud: September 16, 1949
Plugged: September 29, 1949
No Electric Logs run
Formation tops:
 Green River: Surface - 1,320'
 Colton: 1,320 - 1,640'
 Flagstaff: 1,640 - 1,730'
Total Depth: 1,751'
Core: 1,643 - 1,648' (Flagstaff)
 6 inches gray-green shale
 4 inches chert limestone
 3 feet calcareous shale
No shows
No drill stem tests
Record of cement

There were no logs run, but we hope this information is of some help to you.

If we can be of any further help, please do not hesitate to contact our office.

Sincerely,

Vicky Carney
Well Records

cc: Dianne R. Nielson
 Ronald J. Firth
 Donald T. Staley
 Well File
0511S-44



STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining

Norman H. Bangerter, Governor
Dee C. Hansen, Executive Director
Dianne R. Nielson, Ph.D., Division Director

355 W. North Temple • 3 Triad Center • Suite 350 • Salt Lake City, UT 84180-1203 • 801-538-5340

April 21, 1988

Mr. Tom Brotherson
40 West 3rd North #28
Mt. Pleasant, Utah 84647

Dear Mr. Brotherson:

Re: #1 BROTHERSON SWSE SEC 13 T15S R03E API # 43 039 20365

Through contact with Exxon Corporation, we have located the following information regarding the above referenced well:

Spud: September 16, 1949
Plugged: September 29, 1949
No Electric Logs run
Formation tops:
 Green River: Surface - 1,320'
 Colton: 1,320 - 1,640'
 Flagstaff: 1,640 - 1,730'
Total Depth: 1,751'
Core: 1,643 - 1,648' (Flagstaff)
 6 inches gray-green shale
 4 inches chert limestone
 3 feet calcareous shale
No shows
No drill stem tests
Record of cement

There were no logs run, but we hope this information is of some help to you.

If we can be of any further help, please do not hesitate to contact our office.

Sincerely,

Vicky Carney
Well Records

cc: Dianne R. Nielson
 Ronald J. Firth
 Donald T. Staley
 Well File
0511S-44